

Protecting Health Care Workers from Infectious Diseases - A Self Assessment Tool

Copyright © 2019

Product Code: IIFTLAEN0912

Public Services Health and Safety Association (PSHSA)

4950 Yonge Street, Suite 1800 Toronto, Ontario M2N 6K1 Canada

Telephone: 416-250-2131 Fax: 416-250-7484

Toll Free: 1-877-250-7444 Web site: www.pshsa.ca

Connect with us:

©PSHSAca

Please note that all information provided in this toolkit is general in nature and may not be appropriate for particular situations or circumstances. The toolkit is not intended to provide legal advice or replace the Occupational Health and Safety Act (OHSA), its regulations or other relevant legislation that may apply to your work setting. Under no circumstances shall Public Services Health & Safety Association (PSHSA) be responsible for any damage or other losses resulting from reliance upon the information given to you, and all such liabilities are specifically disclaimed to the full extent permitted by law.

All material copyright 2017 Public Services Health & Safety Association. You may make no claim to copyright in any materials incorporating or derived from these materials.

All other rights reserved.





Table of Contents

Prefa	ice	2
Intro	duction	3
1.0.	Occupational Health Infection Control Program	4
2.0.	Routine Practices and Additional Transmission-Based Precautions	17
3.0.	Health Care Worker Immunization	29
4.0.	Environmental Infection Control	32
5.0.	Occupational Exposure of Health Care Workers of Communicable Diseases	35
6.0.	Occupational Health in Outbreak Response	39
7.0.	Waste and Spills	44
8.0.	Blood and Body Fluid Exposure	47
9.0.	Respiratory Protection	50
10.0.	Ventilation Requirements	54
11.0.	Laundry Services	61
12.0.	Laboratory Services	66
Appe	ndix	74
Αŗ	opendix A: Glossary of Short Forms and Notations Used for Consensus Documents Cited	74
Αŗ	opendix B: Web Links for Resources Cited	76
Αŗ	ppendix C: Additional Resources and Web Resources	77
Αŗ	opendix D: Communicable Diseases Significant to Occupational Health	78





PREFACE

Public services health and safety association (PSHSA) is a not-for-profit organization, designated as a safe workplace association under the workplace safety and insurance act (s.o. 1997). Our vision is to inspire, guide and support our clients to achieve the healthiest and safest workplaces. PSHSA recognizes that health care organizations face increased challenges post-sars to ensure they have adequate programs in place to protect the health and safety of their staff. As a result, this self-assessment tool was developed to assist employers, workers, health care professionals, and members of the joint health and safety and infection control committees identify strengths and opportunities for enhancing their occupational health infection control program.

This self-assessment tool should assist health care organizations address the legislated requirements under the Ontario occupational health and safety act and establish best practices in occupational health and safety as recommended in the ministry of health and long term care's April 2004 report on Sars and infectious disease control, for the public's health: a plan of action.

With the onset of Sars in 2003, many health care employees and their families endured a tremendous burden from an infectious disease. This document is dedicated to them, and to everyone who remains committed to the prevention and control of illnesses arising from infectious diseases in the workplace. Public services health and safety association.





INTRODUCTION

Protecting Health Care workers from Infectious Diseases: A Self-Assessment Tool was first published in 2004. Since then many new infection prevention and control resources have been published. PSHSA has revised and updated the tool to provide a resource that will assist employers, workers, health care professionals, members of the joint health and safety and infection control committees to identify strengths and opportunities for enhancing their Occupational Health Infection Control Program.

This resource can assist health care organizations to address the legislated requirements under the Ontario Occupational Health and Safety Act and implement best practices as recommended by Public Health Ontario, the Public Health Agency of Canada, Canadian Standards Association, Ontario Medical Association and Ontario Hospital Association. Legislation cited in this document is based on Ontario statutes, regulations and best practices current at the time of release. In addition to Canadian standards and rationale, internationally recognized standards are referenced where they offer the most current information. While an attempt was made to identify relevant standards, others may be available that have not been referenced.

Our goal is to provide you with a comprehensive and easy-to-use resource that will promote the protection of health care workers from the transmission of infectious diseases in the workplace. While much of the information contained in this document will also protect patients and the public, this tool does not specifically address infection control issues related to patient safety.

With the aid of the self-assessment tool, an action plan and implementation strategy can be put in place. The following steps are recommended:

- Assess all infection control risks to staff
- Review and revise existing occupational health related infection control policies and procedures to control identified risks
- Develop an action plan to implement new policies, procedures and programs.
- Identify training requirements for staff.
- Evaluate the program at least annually, more frequently as required and as new resources become available

A multidisciplinary approach is recommended for completing this assessment tool. Appropriate departments, managers, staff, the joint health and safety committee and infection control committee should be involved in the process.

As outlined in the table of contents, this assessment tool is divided into major sections and sub-sections. Each organization should determine the sections appropriate for its needs, as not all sections may apply.

Appendix A contains the complete title of abbreviations and acronyms used in this document. Please note: under the "rationale" headings, best practices, standards and legislation are listed. Elements where regulatory requirements apply are identified by an asterisk (*). Abbreviations are used in these sections of the document however the full name will be used the first time the reference appears.





While this assessment tool is not intended to be a compliance audit tool, many of the requirements for an occupational infection control program are legislated under the Occupational Health and Safety Act and the Regulations for Health Care and Residential Facilities. In accordance with sections of the Act and the regulations, policies and procedures related to occupational infection control should be developed in consultation with the joint health and safety committee.

Key points to include in policies and procedures are included for most elements under the heading "Suggestions for Development, Implementation and Evaluation". They include explanations or guiding comments to assist the users of this assessment tool.

1.0. OCCUPATIONAL HEALTH **INFECTION** CONTROL **PROGRAM**

This section describes the administration of the occupational health infection control program. A number of legislated requirements apply. An essential resource for this section is PIDAC "Best Practices for Infection Prevention and Control Programs in Ontario in all Health Care Settings".

Key Components of the program include:

- Pre-placement assessment of new workers.
- Immunization review and update.
- Staff influenza vaccination program.
- Tuberculosis status screening and surveillance, based on facility and activity risk assessment.
- Exposure prevention and management.
- Post-exposure prophylaxis.
- Health and safety education.

An organizations' occupational health program should be guided by an overall policy that includes the following items to protect workers from the transmission of infection:

- Management commitment to occupational infection control.
- Reference to the need to develop procedures to support the program based on risk assessment pursuant to the type of workplace.
- Identification of person or persons responsible for the program.
- A schedule of review and revision, which will be at least annually in accordance with the Regulations for Health Care and Residential Facilities and in consultation with the JHSC.
- Commitment to training and education of all levels of staff. Education material may be delivered through: 1) Face-to-face learning. 2) Appropriate signage 3) Pamphlets, video, webinars, and other information resources.





Section	Element	Suggestions for Development, Implementation and Evaluation	Status Choose : Y/N /Partial , N/A	Standard or Rationale	Comment s
1.1	The organization has an occupational health and safety program in place for the control of infections among workers	Measures and procedures to support the overall program are required and must address, as a minimum, the following issues as identified in the Regulations for Health Care and Residential Facilities and Needle Safety Regulation: Safe work practices. Safe working conditions. Proper hygiene practices and use of hygiene facilities. Control of infections. Immunization and inoculation against infectious diseases. Use of appropriate antiseptics, disinfectants and decontaminants.	Choose an item.	HCRF Reg., sec. 8 and 9 (Health Care & Residential Facilities Regulation) NS Reg. (Needle Safety Regulation) Reg. 965 – (Hospital Management under Public Hospitals Act) *LTC Act, 2007, c. 8, sec. 86 (2) (3) (Long Term Care Act) *HPP Act (Health Promotion & Protection Act) APIC - Occupational Health section (text, Association for Professionals in Infection Control & Epidemiology) *TDG - (Transportation of Dangerous Goods Act)	Click here to enter text.





1.2	The organization has	 The hazards of biological agents. Use, wear and limitations of personal protective equipment. Handling, cleaning and disposal of soiled linen, sharp objects and waste. Use of safety engineered needles Further portions of this tool will provide additional detail regarding measures and procedures. Staff must be familiar with and have access to policies and procedures related to the prevention and control of infections among workers. In accordance with the Regulations for Health Care and Residential Facilities, "measures and procedures" must be reviewed annually and more often if required in consultation with the JHSC. 	Choose	• HCRF Reg.,	Click here
	policies and procedures in place to protect workers from hazards that	address any identified risk to workers including but not limited to: rubella, parvovirus B19,	an item.	sec. 9(1) 8 • APIC - Occupational	to enter text.





	may affect their reproductive health, pregnancy or the health of a nursing child.	toxoplasmosis and hazards such as chemicals that may affect their reproductive health, pregnancy or their nursing child.		Health section PHAC-PCOI — (Health Canada, Prevention & Control of Occupational Infections in Health Care) OHA/OMA CDSP- (Ontario Hospital Association and Ontario Medical Association Communicabl e Disease Surveillance Protocols)	
1.3	Infection control policies and procedures that relate to occupational health are reviewed annually and more frequently if required.	The organization reviews infection control policies and procedures that relate to occupational health at least annually and more frequently if required, for example, when new best practice documents are issued by Public Health Ontario, the Provincial Infectious Disease Advisory Committee (PIDAC) or the Public Health Agency of Canada (PHAC).	Choose an item.	 HCRF Reg., sec 9 (2) and (3) BP-IPCP (Best Practices for Infection Prevention & Control Programs in Ontario, PIDAC). 	Click here to enter text.
1.4	Workers are trained in infection control policies and	Training of workers should take into account the tasks they perform	Choose an item.	*OHSA, sec. 25, 26 and 27 (Occupational	Click here to enter text.



procedures to
protect their health
and safety.

and the risk of exposure to infectious disease inherent in their particular situation. Training must be documented. Effective education programs emphasize:

- The risks associated with infectious diseases, including acute respiratory illness and gastroenteritis
- Hand hygiene, including the use of alcohol-based hand rubs and hand washing
- Principles and components of **Routine Practices** as well as additional transmissionbased precautions
- Assessment of the risk of infection transmission and the appropriate use of personal protective equipment (PPE), including safe application, removal and disposal

Individual staff responsibility for

- Health & Safety Act)
- *HCRF Reg., sec 9(4)
- *WHMIS Reg. (Workplace Hazardous Materials Information System Regulation)
 - *Regulations under the Nursing Homes Act, Homes for Aged and **Rest Homes** Act and Charitable Institutions Act require initial and ongoing training of workers
 - **BP-IPCP**
 - APIC occupational health section







		keeping clients/patients/resident s, themselves and co- workers safe. Collaboration between professionals involved in infection prevention and control and occupational health and safety (OHS). Also refer to section 5 – Occupational Exposure of Health Care workers to Communicable Diseases. Examples of training include: Prevention of disease transmission. Principles of routine practices and transmission based precautions Symptoms of communicable diseases to report. Health promotion to prevent illness. Use of personal protective equipment as appropriate.			
1.5	A quality assurance program is in place to ensure safe work practices.	Quality assurance indicators may include items such as:	Choose an item.	 OHSA sec. 25, 26 and 27 BP-IPCP BP-HH (Best Practices for Hand Hygiene in All Health Care 	Click here to enter text.



		 Occupational health infection surveillance data. Feedback and evaluation. Immunization rates for influenza. Program audits e.g. hand hygiene audits. 		Settings, PIDAC)	
1.6	There is a process for communicating and sharing information between the persons responsible for occupational health, the JHSC and the infection control committee.	In addition to the OHSA, regulations under the Public Hospitals Act provide for the JHSC to request a member of a medical advisory committee to advise the JHSC on matters related to infection control. The SARS Commission led by the Honourable Mr. Justice Archie Campbell made key recommendations regarding the role of the joint health and safety committee. "In any future infectious disease outbreak, the emergency response ensures involvement of the joint health & safety committee in a manner consistent with their statutory role in keeping workplaces safe."	Choose an item.	 OHSA, sec. 9(18) HCRF Reg., sec. 8 and 9 Reg. 965 – Public Hospitals Act, sec. 7(6) Hospital Management section BP-IPCP SC-CR - (SARS Commission, Spring of Fear, The Campbell Report) 	Click here to enter text.
1.7	There is written communication and	This communication should address health	Choose	APIC - occupational	Click here to enter
	sharing of information between	care worker exposure to communicable diseases,	item.	health section	text.





	the infection control practitioner and the occupational health professional.	health care worker infections, outbreaks, development of infection control policies and procedures and education pertaining to occupational health. In long-term care and community care the occupational health professional may be a person assigned responsibility for occupational or employee health		• BP-IPCP	
1.8	There is an occupational health medical adviser or consultant with infection control experience to collaborate in the development of occupational health procedures and to act as a resource when needed.	The adviser/consultant could be "in house" or external. Long-term care facilities should identify and have a process to consult occupational health resources as needed.	Choose an item.	 APIC - occupational health section PHAC-PCOI OHA/OMA- CDSP 	Click here to enter text.
1.9	There are occupational health infection control policies for work restrictions.	Policies and procedures should affirm that ill workers should not report to work. Work restrictions will be based on agent, mode of transmission, control measures, clinical status of illness, and degree and type of contact with patient/residents and staff. Infection control, occupational health and	Choose an item.	 OHA/OMA-CDSP *HPP Act (Health Promotion & Protection Act) BP-IPCP APIC - occupational health section 	Click here to enter text.





		public health professionals are consulted in the development of policies. Work restrictions may be required for the following illnesses. For more information refer to the appropriate OHA/OMA protocol: • herpes simplex • adenovirus • antibiotic resistant organisms • enteric disease • Group A Steptococcal disease • influenza • measles • Neisseria meningitidus (infection) • mumps • pertussis • rubella • scabies • varicella/zoster			
1.10	There is an occupational health policy and related procedures for screening health care workers for communicable diseases, for reporting illness (internal and external reports), and for detecting, preventing	Policies and procedures should address: Screening procedures, e.g. preplacement and postexposure assessment and follow-up (in accordance with the OHA/OMA Communicable Disease Surveillance	Choose an item.	 HCRF Reg., sec. 5, 8 and 9 IER Reg., sec.5 OHSA sec. 52 Reg. 965 – Public Hospitals Act, sec. 4(1) (e) and 4(2) HPP Act - Reportable Disease, 	Click here to enter text.



	and controlling diseases.	Protocols, if in a hospital) External reporting to Public Health if a "reportable" disease is identified. Reporting to Ministry of Labour in cases of occupationally acquired illness. Reporting to Ministry of Labour in cases of critical injury or fatality. Reporting to WSIB where health care or lost time results as a consequence of illness acquired in the performance of work.		•	Regulation (reporting requirement to Medical Officer of Health) APIC OHA/OMA- CDSP BP-IPCP *WSIA (Workplace Safety & Insurance Act)	
1.11	There are protocols for the assessment and/or treatment of occupational injuries, illnesses, critical injuries and fatalities.	Protocols for the treatment of occupational injuries and illnesses such as needle sticks, exposure to communicable diseases and active infection should be based on currently accepted guidelines.	Choose an item.	•	OHSA, sec. 51 and 52 WSIA, Reg. 1101 (first aid) * Reg. 965 – Hospital Management, under Public Hospitals Act, sec. 4(1) APIC occupational health section	Click here to enter text.
1.12	There are protocols for preventing the transmission of non-occupationally	Protocols for the treatment of non-occupational infections such as communicable diseases, fever, carrier	Choose an item.	•	OHA/OMA- CDSP PHAC-PCOI OHA/OMA APIC - occupational	Click here to enter text.





	acquired infections to other workers.	and infection status should be based on currently accepted guidelines.		health section	
1.13	A written program is in place for environmental assessment of infectious hazards to workers.	Examples include: the evaluation of needle stick data, evaluation of ventilation systems including negative pressure isolation rooms, presence of biological hazards, etc. The program should include assessment, control and evaluation of hazards.	Choose an item.	 HC - PCOI NS Reg. HRF Reg., sec. 19, 20 VIRHC (Ventilation, Inspection Report for Health Care Facilities, Ontario Ministry of Labour) 	Click here to enter text.
1.14	Occupational/Employ ee health records are maintained.	Occupational health records maintained by an organization must be confidential and accessible only to designated staff responsible for occupational health. Personal records should be available to individual workers on request. Records should contain immune status, immunization record, records of exposure to communicable diseases and prophylaxis. Records can be used to track when TB skin tests are due and to check immune status, for example during a measles outbreak. A	Choose an item.	 OHSA, sec. 63(2) HCRF Reg., sec. 9 APIC- occupational health section OHA/OMA- CDSP - Immunization , influenza protocols 	Click here to enter text.



		record should be kept of			
		refusal of immunization.			
1.15	Risk assessment	 Examples of risk 	Choose	OHSA, sec.	Click here
	activities are	assessment	an	25(2) (h)	to enter
	performed to identify	activities:	item.	*HRF Reg.,	text.
	potential	workplace		sec. 9	
	occupational	inspections,		BP-RPAP -	
	exposure situations	screening of staff,		(Best	
	or transmission of	review of		Practices,	
	infectious diseases to	exposure records,		Routine	
	or from the health	review of		Practices &	
	care worker, from	infectious disease		Additional	
	others or from the	literature, internal		Precautions,	
	environment.	and external		PIDAC)	
		communication,			
		collaboration			
		between infection			
		control and			
		occupational			
		health staff, etc.			
		 Measures and 			
		procedures to			
		control infectious			
		diseases should be			
		prepared where			
		risk assessment			
		indicates a need.			
1.16	In order to secure	Periodic or routine	Choose		Click here
	sufficient resources,	reporting of	an	 PHAC-PCOI 	to enter
	a reporting process is	activities may include:	item.	BP - IPCP	text.
	in place to inform	 Statistics related 			
	senior management	to worker			
	about occupational	infections.			
	health program	 Occupational 			
	objectives.	health infection			
		control activities			
		(for example,			
		training sessions,			
		surveillance and			
		audits).			



		Resource requirements.			
1.17	Risk control measures using the occupational hygiene hierarchy are in place and are employed to prevent health care worker exposure to infection.	The occupational hygiene hierarchy Of controls is: 1) Controls at source (e.g., engineering controls). 2) Controls along the path (e.g., work practice controls and administrative controls). 3) Controls at the worker (e.g., personal protective equipment).	Choose an item.	 OHSA, sec. 25(2) (h) HCRF Reg, sec. 8 and 9 WHMIS Reg CEBCA Reg (Control of Exposure to Biological or Chemical Agents Reg.) PHAC-PCOI 	Click here to enter text.
1.18	An eyewash fountain is provided and maintained where a worker may be exposed to a potential hazard of injury to the eye, resulting from contact with a biological or chemical substance.	The eyewash performance criteria should include installation and maintenance in accordance with the American National Standards Institute (ANSI) standard.	Choose an item.	 IER , sec. 124 ANSI-Z358.1 (American National Standards Institute) 	Click here to enter text.



2.0. ROUTINE
PRACTICES AND
ADDITIONAL
TRANSMISSIONBASED
PRECAUTIONS

This section contains core elements that should be included in all occupational infection control programs. Routine practices should be used for all patients, residents and clients, regardless of diagnosis. This section also includes additional transmission-based precautions for infections spread by the following routes: airborne, droplet and contact. An essential resource for this section is "Best Practice Manual: Routine Practices and Additional Precautions in all Health Care Settings"

Section	Element	Suggestions for Development, Implementation and Evaluation	Status Choose Y/N/Partial , N/A	Standard or rationale	Comment s
2.1	There is a policy and procedures for hand hygiene that includes the use of alcohol based hand rubs and hand washing.	Procedures incorporate best practices for knowing why & when to perform hand hygiene, understanding factors that may influence hand hygiene, choosing appropriate products and applying the correct technique. The hand hygiene program should be multidisciplinary. Evaluation of the program should include ongoing auditing and observation of hand hygiene practices and provide feedback to staff.	Choose an item.	 OHSA sec 25, 27 BP-HH (Best Practices for Hand Hygiene in All Health Care Settings, PIDAC) BP - RPAP (Best Practice Manual for Routine Practices & Additional Precautions in All Health Care Settings, PIDAC) JCYH (Just Clean Your Hands Campaign, Ontario 	Click here to enter text.



2.2	There are adequate hygiene facilities and supplies, including sinks, liquid soap dispensers and paper towels. Hand hygiene products are available at the point of care in disposable containers.	Ensure that hand hygiene containers for liquid soap alcohol hand rub and lotion are not "topped up".	Choose an item.	Ministry of Health & Long Term Care) HCRF Reg., sec. 9(1) (3) (4) and 28 BP-HH BP-ECPCI (Best Practices for Environment al Cleaning for the Prevention & Control of Infections)	Click here to enter text.
2.3	The policy and procedure related to cleaning equipment, furniture and environmental surfaces addresses worker health and safety.	The policy and procedures should address: • Safe work practices. • Appropriate use of cleaning agents. Personal protective equipment (PPE). • Training requirements. Also refer to Section 4 on Environmental Infection Control.	Choose an item.	 HCRF Reg., sec. 8, 9 * OHSA sec. 25 BP - RPAP BP -ECPCI 	Click here to enter text.
2.4	There is a policy and procedure that directs staff in the safe handling of soiled patient/resident care equipment.	The policy and procedures should include: • Safe work practices that prevent worker exposure of the skin and mucous	Choose an item.	 HCRF Reg., sec. 8, 9(1) and (2), 112 and 116 BP- RPAP 	Click here to enter text.









		Also refer to Section 8 of this document on blood and body fluid exposure.			
2.6	There is a policy directing when gloves should be worn and the type of glove to be worn.	The policy and procedures should include: • Wear the correct size and type of gloves • Always clean hands before applying and after removal of gloves • Apply gloves immediately before the clean/aseptic procedure and discard immediately after the task/procedure is completed • Glove use should be part of a comprehensive hand —hygiene program • Training should include demonstration on glove removal to prevent hand contamination • Contact precautions require the use of gloves for	Choose an item.	 HCRF Reg., sec. 8, 9 and 10 BP-RPAP 	Click here to enter text.

d e a s t e n	There is a policy directing when eye protection and masks should be worn to protect the eyes, nose and mouth of workers	specific infections that may be transmitted on the hands of health care workers e.g. methicillinresistant Staphylococcus aureus (MRSA), vancomycinresistant enterococcus (VRE), Clostridium difficile, Acinetobacter baumannii and the agents of infectious diarrheas. The policy and procedures should include: • Mask and eye protection is worn to protect the eyes, nose and mouth when it is anticipated that a procedure or care activity is likely to produce splashes or spays of body fluids, blood, secretions or excretions • The type of facial	Choose an item.	• HCRF Reg., sec. 8, 9, 10 and 11(b) • BP-RPAP	Click here to enter text.
	J.				





			I		
		worn when			
		within 2 metres			
		of a person			
		coughing and or			
		sneezing			
		 Droplet 			
		precautions			
		require the use			
		of masks and eye			
		protection when			
		caring for			
		persons known			
		or suspected of			
		having an			
		infection that can			
		be transmitted			
		by large			
		respiratory			
		droplets (e.g.,			
		adenovirus,			
		influenza and			
		parainfluenza			
		viruses,			
		rhinovirus,			
		human			
		metapneumoviru			
		s, respiratory			
		syncytial virus -			
		RSV), rubella,			
		mumps and			
		Bordetella			
		pertussis.			
		per (d3313).			
2.8	There is a policy	The policy and	Choose an	HCRF Reg.,	Click here
	directing when	procedures should	item.	sec. 8, 9 and	to enter
	gowns are	include:		10	text.
	required to be	Gowns are worn		 OHSA, sec. 	
	worn and the	when there is a		27	
			1		
	type of gown to	risk of splashing		 BP- RPAP 	
	type of gown to be worn to	risk of splashing or spaying of		● Rb- Kbab	





blood, secretions	
or excretions on	
the forearms	
and/or clothing	
of the health	
care worker	
Gowns are made	
of an appropriate	
material for the	
task e.g. fluid	
resistant Gowns	
are discarded	
immediately	
after use and are	
not re-worn	
Workers are	
instructed in	
donning and	
doffing	
procedures to	
prevent self	
contamination	
• Contact	
precautions	
require the use	
of gowns as an	
additional	
precaution	
against specific	
communicable	
diseases e.g.	
methicillin-	
resistant	
Staphylococcus	
aureus (MRSA),	
vancomycin-	
resistant	
enterococcus	
(VRE),	
Clostridium	
difficile,	

2.9	There is a process in place to educate staff in the use and maintenance of personal protective equipment (PPE).	Acinetobacter baumannii and the agents of infectious diarrheas. (formatting problem) • Educational material is readily available and accessible • Education is provided on a regular basis and worker competency is maintained • Worker competency is evaluated	Choose an item.	* HCRF Reg., sec. 8, 9 and 10	Click here to enter text.
2.10	A sufficient quantity of personal protective equipment is stored in a convenient, clean and sanitary location when not in use.	 Assessments are conducted to determine the quantity and type of personal protective equipment required in routine and emergency situations. An inventory of PPE for routine use is maintained A contingency plan is in place for the procurement of additional and/or specialized PPE 	Choose an item.	 HCRF Reg., sec. 8, 9 and 10 BP-RPAP 	Click here to enter text.





		as required Also			
		refer to section			
		on emergency			
		management			
2.11	There is a policy	Additional	Choose an	• *HCRFR sec.	Click here
2.11	and there are	transmission-based	item.	9	to enter
	procedures	precautions should be	icciii.	• P-RPAP	text.
	directing when	followed when either		F-NFAF	CCAC.
	additional	the clinical symptoms			
	transmission-	indicate a likely cause, or			
	based	when the specific			
	precautions (i.e.,	infectious agent is			
	airborne	identified. Policies and			
	precautions,	procedures should			
	droplet	address:			
	precautions and	Use of personal			
	contact	protective			
	precautions)	equipment,			
	should be	including			
	followed.	selection, care,			
	Tonowea.	proper fit and			
		procedures for			
		donning and			
		doffing			
		Use and disposal			
		of equipment			
		and materials.			
		 Hand hygiene. 			
		Education of			
		staff.			
		• Environmental			
		cleaning.			
		_			
		Appropriate signage			
2.12	Health care	signage. Education should	Choose an	BP -RPAP	Click here
۲.1	workers are	include:	item.	(Annex	to enter
	given adequate	Signs and	TCCIIII	A,B,C) Annex	text.
	education as to	symptoms of		A: Antibiotic	COACI
	the nature of the	disease and risk		Resistant	
	infections and	of transmission.		Organisms in	
	micedons and	or transmission.		Organismis III	1



	the precautions being taken.	 Disease-specific precautions to be taken (additional precautions) Appropriate use, cleaning and disposal of equipment and materials. Use of PPE Isolation procedures Patient isolation and cohort guidelines and procedures Patient transport procedures 		All Health Care Settings Annex B: Transmission of Acute Respiratory Infection Annex C: Testing, Surveillance and Management of clostridium difficile infection	
2.13	The policy regarding airborne precautions requires the use of respiratory protection including N95 respirators.	The policy must reflect that only respirators that are NIOSH certified N95 or higher efficiency are acceptable for infectious diseases spread by the airborne route. Also refer to Section 9.0 on Respiratory Protection.	Choose an item.	 HCRF Regs., sec. 8, 9 and 10 OHSA, sec. 25(1) (2)h BP-RPAP 	Click here to enter text.
2.14	The policy regarding droplet precautions requires the use of fluid-resistant procedure/surgi cal masks to protect the worker.	Verify with the manufacturers or suppliers that the masks in use are fluid resistant.	Choose an item.	 HCRF Regs., sec. 8, 9 and 10 OHSA, sec. 25(1) (2)h BP-RPAP 	Click here to enter text.
2.15	The need for eye protection (safety glasses, goggles and face	Where eye protection is required, based on the assessment, the	Choose an item.	HCRF Reg., sec. 9(4) and 10(1)BP-RPAP	Click here to enter text.

dr ill as	nields) from roplet-spread lnesses is ssessed.	employer must ensure that: • Appropriate PPE is provided and is worn • Staff are trained in its use including donning and doffing • Procedures are in place for cleaning and disinfecting reuseable PPE between uses The transportation	Choose an	• HCRF Reg.,	Click here
pr ac pr be tr in pa s t	rocedures ddress recautions to e taken for the ransportation of entious atients/resident to protect the ealth and safety f workers and he environment.	procedures should include: • Conducting a risk assessment to identify when patients/resident s must wear a surgical/procedu re mask during transport. • Safe work practices during patient/resident transport. • Safe work practices in patient/resident receiving areas. • If a patient/resident under airborne isolation precautions must be transferred, a	item.	• HCRF Reg., sec. 8 and 9 • BP-RPAP	to enter text.





т т	Ī	1
plan and		
procedure are in		
place that		
addresses		
worker health		
and safety		
and safety		
The procedures for		
transport should address:		
• Communication		
with receiving		
facility regarding		
potential hazards.		
Protection of		
worker health		
and safety (e.g.,		
use of N95		
respirators).		
 Protection of 		
environment		
(e.g., placement		
of surgical mask		
on		
patient/resident).		
(internal and		
external).		
 Mode of 		
transport		
 Requirements for 		
cleaning and		
disinfection post-		
transfer.		
tidiisiei.		



3.0.	HEALTH CARE
	WORKER
	IMMUNIZATION

This section addresses immunization of health care workers who are at risk of exposure to communicable diseases. The immunization program should be based on the current recommendations of the National Advisory Committee for Immunization (NACI). Hospitals should also refer to applicable OHA/OMA surveillance protocols.

	surveillance protocols.					
Section	Element	Suggestions for Development, Implementation and Evaluation	Status Choos e Y/N / Partial , N/A	Standard or Rationale	Comment	
3.1	The organization has an immunization program that is appropriate to the workplace.	An immunization program should consider: • Education about vaccine-preventable diseases in the workplace. • Assessment of the need for immunization. • Administration of (with worker consent), or referral for, immunization. • Documentation and follow-up. • Use of a declination form for workers who refuse/decline immunization Immunization policies at individual workplaces will depend on the size and type of the workplace and the risks of exposure. The following immunizations are recommended for all non-immune health care	Choos e an item.	 HCRF Reg., sec. 9(1) and (5) NACI (National Advisory Committee for Immunizati on) OHA/OMA CDSP 	Click here to enter text.	

lealthy Workers	
workers unless	
contraindicated:	
Diphtheria	
Hepatitis B	
• Influenza	
 Measles 	
Mumps	
• Polio	
 Tetanus 	
 Varicella 	
In addition, selected	
immunizations	
may be required for workers	
in	
specific workplaces based on	
а	
special risk:	
Hepatitis A (workers in	
facilities where there	
is an increased risk of	
exposure to Hepatitis	
A)	
Meningococcal (if	
warranted following	
assessment of	
exposure)	
 Rubella (women of childbearing age; any 	
health care worker	
who could transmit	
infection to high-risk	
individuals)	
marviduaisj	
It is recognized that not all	
organizations will offer or	
administer all the	
immunizations listed.	
However, it is recommended	
that a record of immune	
status of staff be kept (see	

Section 3.5).

3.2	There is a policy for annual immunization against influenza for health care workers unless contraindicated.	Payment for vaccinations that are not covered elsewhere should be addressed in immunization policies. Annual influenza vaccination is highly recommended for everyone (unless contraindicated), and is a free service for Ontario residents.	Choos e an item.	 BP- RPAP Appendix B OHA/OMA OHPIP (Ontario Health Plan for an Influenza Pandemic, Ministry of Health & Long Term Care, chapter 7) 	Click here to enter text.
3.3	Immunization for influenza is actively promoted through on-site and mobile immunization programs.	An active annual influenza program should be developed that includes: Immunization of staff. Education regarding signs and symptoms. Benefits, side effects and contraindications of immunization. Prevention and control of influenza.	Choos e an item.	OHA/OMA CDSP BP-RPAP Appendix B	Click here to enter text.
3.4	The policy related to influenza includes directions for health care workers who are not vaccinated during an outbreak.	Policies should address issues such as: • work restrictions/reassign ment • use of chemoprophylaxis	Choos e an item.	OHA/OMA CDSPBP-RPAP Appendix B	Click here to enter text.
3.5	There is a policy regarding documentation of	This policy should include: • A review of immune status to measles,	Choos e an item.	OHA/OMA	Click here to



	immunity for new workers and workers at risk.	mumps, rubella, Hepatitis B and varicella for newly employed health care workers. Immunization history. Results of recent TB skin tests provided by previous employer, school or health practitioner			enter text.
3.6	A policy is in place	The policy should address	Choos	OHA/OMA CDSP	Click
	for the protection	referral to the physician for:	e an		here to
	of susceptible	Consideration for	item.		enter
	immunocompromi	immunization. Fitness			text.
	sed health care	for work.			
	workers.	 Guidelines for work 			
		restrictions.			

4.0. ENVIRONMENTAL INFECTION CONTROL

This section includes the selection, use and handling of antiseptics, disinfectants and decontaminants.

Also included are work practices and precautions to protect health care workers from infections in the work environment. A number of legislated requirements apply to this section.

The Environmental Cleaning Best Practices Educational Toolkit is an excellent resource for developing policies and procedures. It is available through the Regional Infection Control Networks (RICNs). See Appendix B for the web link.

Section	Element	Suggestions for Development, Implementation and Evaluation	Status Choos e Y/N / Partial, N/A	Standard or Rationale	Comment s
4.1	The	Cleaning carts and	Choos	HCRF Reg.,	Click here
	housekeeping	cleaning closets are	e an	sec. 111	to enter
	rooms and	cleaned daily to	item.	 BP-ECPCI 	text.
	closets are well			(Best	



	maintained, in accordance with good hygiene practices.	maintain a clean and sanitary environment		Practices for Environment al Cleaning for the Prevention of Infections in All Health Care Settings, PIDAC)	
4.2	Cleaning procedures minimize the contamination of the air by dust or aerosols.	Cleaning procedures utilize wet processes or microfiber materials to ensure contaminants are not dispersed into the air and redistributed in the environment	Choos e an item.	 HCRF Reg., sec. 111(2) BP-ECPCI BP-ECBPPET (Environment al Cleaning Best Practices Educational Toolkit, RICN) 	Click here to enter text.
4.3	Routine cleaning is done according to a schedule and workers are trained in cleaning procedures.	 Written schedules and procedures are available to all cleaning staff The frequency of cleaning and disinfecting is based on the environment, the type of surface to be cleaned, the amount of activity in the area, the risk of transmission of infection, and the degree of soiling 	Choos e an item.	 HCRF Reg., sec. 8 and 9 BP-ECPCI BP-ECBPPET 	Click here to enter text.
4.4	There are policies and procedures to	Policies and procedures address:	Choos e an item.	HCRF Reg., sec. 8 and 9BP-RPAP	Click here to enter text.



	direct workers responsible for cleaning contaminated equipment to protect themselves from exposure to pathogens.	 Safe work practices. Use and wearing of personal protective equipment. Workers are provided with training in best practices and the use and wearing of PPE 		BP-ECPCIBP-ECBPPET	
4.5	PPE, including gloves, are worn for cleaning up spills of body fluids, including blood.	If there is a risk of splashing, a face shield and gown are worn. For a large spill, overalls, gowns or aprons and boots or shoe covers are worn. PPE is removed before leaving the location of the spill. Hands should then be washed.	Choos e an item.	 HCRF Reg., sec. 10 and 11(b) BP-RPAP 	Click here to enter text.
4.6	Floors, counter tops and other surfaces contaminated with blood or body fluids are cleaned and then disinfected with an appropriate disinfectant (e.g., "hospital grade disinfectant").	 Clean up spill and disinfect area with a hospital grade disinfectant Ensure adequate contact time for chemical, according to manufacturer instructions Dispose material in regular waste container or biomedical waste container (depending on size of spill and 	Choos e an item.	 HCRF Reg., sec. 9(6) (13) BP-ECPCI BP-ECBPPET 	Click here to enter text.



		regional/municip al requirements)		
4.7	Housekeeping staff use the same precautions to protect themselves during the cleaning of rooms of discharged patients/residen ts as they did during their stay e.g. contact precautions	Precautions in place during patient/resident stay remain in effect until terminal cleaning is completed.	BP-ECBPPET	

5.0. OCCUPATIONAL **EXPOSURE OF HEALTH CARE WORKERS OF COMMUNICABLE** DISEASES

This section includes risk control measures that should be in place to prevent and manage occupational exposure to communicable diseases. The Ontario Hospital Association and Ontario Medical Association have established a joint committee that regularly meets to develop, review and revise protocols on preventive and post exposure measures for occupational exposure to infectious/communicable diseases/illnesses. These protocols are an excellent resource and should be used to develop policies and procedures for this section. Refer to Appendix B for the web link.

Section	Element	Suggestions for	Status	Standard or	Comments
		Development,	Choose	Rationale	
			Y/N /		





		Implementation and	Partial,		
		Evaluation	N/A		
5.1	A risk assessment is undertaken to determine the risk of health care worker exposure to infections and communicable diseases.	Risk assessment may question: Which infectious agents are present, or could be present? What is the mode of transmission of infectious agents? Where in the workplace could the agent be? Who is at risk of exposure to the agent? What existing controls are in place? What additional controls are required? What are the personal protective equipment needs of workers? Refer to Appendix C for a list of communicable diseases significant to occupational health.	Choose an item.	 PHAC-PCOI OHA/OMA	Click here to enter text.
5.2	Risk control measures, policies and procedures have been developed to prevent health care worker	Measures, policies and procedures are published, actively communicated and readily available to workers. Training related to safe work practices is provided.	Choose an item.	 HCRF Reg., sec. 8 and 9 PHAC-POI OHA/OMA BP-RPAP 	Click here to enter text.

	exposure to				
	infections and				
	communicable				
	diseases, based				
	on the risk				
	assessment				
	undertaken.				
5.3	Risk control	Protocols for the	Choose	 PHAC-PCOI 	Click here to
	measures to	treatment of occupational	an item.	OHA/OMA	enter text.
	manage health	injuries and illnesses such		BP-RPAP	
	care workers	as needle sticks, exposure			
	exposed to or	to communicable diseases			
	infected with	and active infection are			
	communicable	based on currently			
	diseases have	accepted guidelines.			
	been developed				
	in accordance				
	with established				
	protocols.				
5.4	Health care	A pre-	Choose	OHA/OMA	Click here to
	workers	placement/employment	an item.	BP-IPCP	enter text.
	providing direct	screening program is in			
	care to people	place to determine the			
	with specific	immune status of health			
	disease(s) are	care workers.			
	screened to	The evaluation should			
	determine their	include the following:			
	immune status.	Medical/health			
		history including			
		vaccination status			
		and conditions			
		that may			
		predispose staff to			
		acquiring or			
		transmitting			
		communicable			
		diseases.			
		Assessment of			
		latent or active TB			
		Serologic testing			
		for select vaccine			





preventable diseases if indicated		





6.0. OCCUPATIONAL
HEALTH IN
OUTBREAK
RESPONSE

This section includes the basic elements for an occupational health surveillance program and outbreak response. When applied to occupational health and safety, surveillance involves collection of data, analysis and dissemination of data on hazards that have endangered or may endanger the health care worker. "Best Practice Guidelines for Surveillance of Health Care Associated Infections" should be used as a reference when completing this section. Although this resource is primarily intended for the surveillance of infections in patients in acute care and residents in long term care; the same principles apply to occupational health. An example is surveillance of healthcare workers following exposure to a patient with active TB. Another example of a surveillance activity is data collection to monitor hand hygiene compliance among health care workers. Your local regional infection control network (RICN) can assist you in developing a surveillance program. Most organizations will already have a pandemic plan. This should be reviewed annually in consultation with the JHSC. A number of reporting requirements apply to this section.

Section	Element	Suggestions for Development, Implementation and Evaluation	Status Choose Y/N / Partial, N/A	Standard or Rationale	Comments
6.1	A surveillance program is in place to aid in the rapid identification of communicable disease outbreaks that could affect the health of workers.	A Surveillance program should include: • regular review of statistics for trends and analysis • review of worker illnesses, absenteeism and infection rates • Review of patient/resident statistics for infectious diseases with potential to affect workers. • reporting mechanism for	Choose an item.		Click here to enter text.



		workers to report illnesses, symptoms and potential exposures Infection control data should be			
6.2	The surveillance program should include a strategy and formal process for communication between infection control staff and occupational health staff.	A process that facilitates good communication is required to ensure infections among staff are identified during an outbreak.	Choose an item.	 PHAC-PCOI BP-SHCAI BP -IPCP 	Click here to enter text.
6.3	The facility has an emergency outbreak response plan developed in consultation with the JHSC and Infection Control Committee that addresses the health and safety of workers.	The emergency outbreak response plan should have criteria and direction to address both an internal or external outbreak that could affect the health and safety of workers The occupational health components of an emergency outbreak response plan should include: • Risk assessment procedures • List of key government contacts Internal communication strategy • Specialized education and	Choose an item.	LTC-FPM – Criteria M3.24 HC-CPIP OHPIP (chapter 5) PHAC - CPIP - Annex G, H (Canadian Pandemic Influenza Plan, Public Health Agency of Canada) PHAC -GHAP- (Guidelines for The prevention of Health care Acquired Pneumonia, Public Health Agency of Canada)	Click here to enter text.





- realtify (
	training strategy (access to and procurement of training). Personal protective equipment (access and procurement). Specialized equipment (access and procurement). Mock drills (testing and evaluation). Specialized response teams. Guidelines for safe work practices in the provision and support of patient/resident care. Psychological and social support services. Decontamination strategy for workers. Environmental services strategy. Environmental and plant maintenance strategy. Screening and surveillance of workers.	
	 Screening and surveillance of workers. 	
	The protocol should reflect current practice, and should be readily accessible to all workers. Guidance for development	



		of the outbreak protocol should be sought from the appropriate public health authority. The protocol should be developed in consultation with the JHSC and external resources as appropriate. The Public Health Agency of Canada has published a toolkit with pandemic preparedness exercises for health care and emergency social services.			
6.4	A current list of key contacts includes contacts that are significant in occupational health.	The emergency plan should include a procedure for a fan-out protocol. Occupational health staff should be included in the notification or call-out list for outbreak response. Additional stakeholder groups who are key contacts may include: • Members of the JHSC. • Union locals. In addition, the local office of the Ministry of Labour should be included as part of the key contacts list in case notification is	Choose an item.	 OHSA, sec. 51 and 52 HRFR, sec. 5 PHAC -GHAP PHAC - CPIP - Annex G, H 	Click here to enter text.
		required under sections 51 or 52 of the OHS Act.	- 1		
6.5	An outbreak management team includes	The composition of the outbreak management team should be addressed	Choose an item.	OHPIP (chapter 7)	Click here to enter text.
	ccam merades	Leann should be addressed	1001111		CC/C.







	occupational health staff and representation from the JHSC.	in the outbreak protocol. The "Team" should have a process for communicating among its members.		PHAC - CPIP - Annex G, H	
6.6	Provision is made for the JHSC to be informed and kept up to date about the status of outbreaks.	There is a communication strategy to keep the JHSC informed on the status of outbreaks. There is a person/position designated with this responsibility.	Choose an item.	 OHS Act, sec. 9(18) HCRF Reg., sec. 8 and 9, related to measures and procedures to be developed * Reg. 965 – Hospital Management, under Public Hospitals Act, sec. 7(6) (JHSC may request member of Medical Advisory Committee to advise JHSC) 	Click here to enter text.
6.7	Resources are available for immediate training of potentially affected staff in safe work practices during an outbreak.	 Education should include: Signs and symptoms of disease and risk of transmission. Disease-specific precautions. Use and disposal of equipment and materials as appropriate. Hygiene practices. 	Choose an item.	BP-SHCAI	Click here to enter text.
6.8	A method to communicate vital information to	A communication plan should be developed for staff.	Choose an item.	BP-SHCAIOHPIP (chapter 7)	Click here to enter text.





	staff has been developed in consultation with the JHSC and is included in the outbreak protocol.	The senior executive of the organization should endorse the plan. The methods of timely communication may depend on the nature of the outbreak (e.g., electronic, open forum and media release).		 PHAC - CPIP - Annex G, H PHAC -GHAP 	
6.9	There is a procedure for contact tracing among staff.	This is required to determine if staff have been exposed to a communicable disease. Contact tracing may be in consultation with the local public health authority.	Choose an item.	 OHS Act, sec. 25(2) (h) HCRF Reg., sec. 8 and 9 Reg. 965 – Hospital Management, under Public Hospitals Act, sec. 4(1) (e) *HPP Act BP-SHCAI 	Click here to enter text.

7.0. WAS		This section includes control m hazards associated with biomedand body fluids.			_
Section	Element	Suggestions for Development, Implementation and Evaluation	Status Choose Y/N / Partial, N/A	Standard or Rationale	Comments
7.1	The workpla has an overa waste managemen program in place.	identification of wastes, the program must	Choose an item.	 HCRF Reg., sec. 8, 9 and 116 LTC-FPM – Criteria O1.4 to O1.7 CSA Z317.10 CSA Z316-07 	Click here to enter text.





infectious and	
biomedical wastes.	

- Policies and procedures must be developed to direct the program. The program should include:
- Collection Containment
- Identification of waste.
- Transportation (internally and externally)
- Handling Storing Treatment (as applicable)
- Disposal through an approved licensed waste management contractor

Workers must be trained regarding the hazards of waste and the measures outlined above. The program should reflect the requirements of the Regulations for Health Care and Residential Facilities, the current CSA standards, Guidelines from the Ministry of Environment and Energy regarding waste disposal and the

MBWO (Management
 of Biomedical
 Waste in
 Ontario,
 Ministry of the
 Environment,
 guideline C-4)





		local municipal waste bylaws.			
7.2	Sharps containers are readily available where required throughout the workplace.	Sharps containers are required as close as possible to the location where sharps are used. Sharps containers must be: • Suitable design to prevent materials from being removed. • Constructed of puncture-resistant materials. • Suitable size for the material they will contain. • Used appropriately and not filled beyond the indicated "fill" line.	Choose an item.	 HCRF Reg., sec. 113 CSA Z316.6-07 	Click here to enter text.
7.3	Other biomedical hazardous waste is disposed of in suitable receptacles that meet the criteria as defined under the Health Care and Residential Facilities Regulation.	The receptacles should be: • Leak-proof and have a tight-fitting cover and clear markings as biomedical waste. • Emptied daily or as the situations may reasonably require.	Choose an item.	 HCRF Reg., sec. 115 and 116 CSA Z317.10 	Click here to enter text.





8.0. BLOOD AND BODY FLUID EXPOSURE ne rec		blo- nee req Ont	ood and body fluids. This includes risk assessment, use of safety engineered edles and devices and safe work practices as well as post-exposure quirements. The OHA/OMA Blood Borne Diseases Surveillance Protocol for ntario Hospitals is an excellent resource for developing a documented post-posure program.			
Section	Element		Suggestions for Development, Implementation and Evaluation	Status Choose Y/N / Partial, N/A	Standard or Rationale	Comments
8.1	A record and are kept of all blood and boo fluid exposure	l dy	 The log should record: Date, time and location of the incident. Worker's task at time of the exposure. Any equipment or device involved in the exposure. First aid and advice given to the worker. 	Choos e an item.	 OHSA, sec. 25(2) (h) * WSI Act and First Aid Reg. 1101 (where injury occurred) 	Click here to enter text.





		Post-exposure assessment and			
		prophylaxis if			
		required.			
		Actions taken			
		following each			
		exposure.			
8.2	Health care workers exposed to blood-borne pathogens (or potential) are assessed and treated as outlined in written procedures that follow current guidelines	exposure. The workplace must have policies and procedures for the management and follow-up of workers exposed to blood-borne pathogens either through an injury (e.g., from sharps) or exposure through mucous membranes or non-intact skin. Post-exposure follow-up procedures should be well known by and readily available to potentially exposed workers and other designated staff who will assess and, if required, initiate procedures rapidly. All exposures should be reported immediately. Assessment of exposed staff should occur as soon as possible, preferably within two hours of exposure, to determine if	Choos e an item.	OHS Act, sec. 25(2) (h) HCRF Reg., sec. 8 and 9 OHA/OMA (Blood-borne diseases protocol) WSIA Act (arrange and pay for transportatio n of injured worker)	Click here to enter text.
		prophylaxis and surveillance are required. This may require sending staff off site for an immediate medical assessment.			







8.3	Post-exposure prophylaxis (PEP), including Hepatitis B immune globulin, and PEP starter kits are available on site, or arrangements have been made for rapid access to PEP.	A process is in place to send staff for immediate assessment, counseling and post exposure prophylaxis if required.	Choos e an item.	OHA/OMA CDSP (Blood- borne diseases protocol) *WSIA Act (arrange and pay for transportatio n of injured worker)	Click here to enter text.
8.4	A risk assessment is conducted for the prevention of needle stick and sharps injuries	A risk assessment should include a review of: • workers most frequently injured, and location/departmen t where injuries occurred • circumstances that contributed to injuries • equipment and devices most often involved (including safety engineered needles) • devices or equipment that carry the highest risk of transmission • steps taken by the organization to minimize injuries	Choos e an item.	 *OHSA, sec. 25 *HCRF Reg., sec. 8 and 9 *NS Reg 	Click here to enter text.
8.5	Safety- engineered needles must be provided and	Suppliers are consulted on the availability of safety- engineered medical devices.	Choos e an item.	* OHS Act, sec. 25(2) 9(h) * NS-Reg	Click here to enter text.

		1	
used when the			
use of a hollow	Appropriate safety-		
bore needle is	engineered medical devices		
required. There	are implemented where		
are some	available. Training on the		
exceptions e.g.	use of safety needles is		
emergency	provided.		
situations and			
when the use of			
the safety			
needle pose a			
risk of harm to			
the worker,			
another worker,			
the person			
receiving the			
injection or the			
public interest.			
Refer to the			
PSHSA planning			
guide			
"Implementatio			
n of Safety			
Engineered			
Medical Sharps"			
for more			
detailed			
information.			

9.0. RESPIRATORY PROTECTION		incl	his section includes requirements for a respiratory protection program including selection, fit testing, training, care of and documentation for the use f N95 or better respirators			
Section	Element		Suggestions for Development,	Status Choose Y/N /	Standard or Rationale	Comments







		Implementation and	Partial,		
		Evaluation	N/A		
9.1	A written	The written program	Choose	 OHS Act, 	Click here to
	respiratory	should address:	an item.	sec. 25	enter text.
	protection	 Roles and 		and 26	
	program has	responsibilities.		 HCRF Reg., 	
	been prepared	Hazard		sec. 10	
	in accordance	assessments to		• CSA Z94.4-	
	with current	determine which		11	
	standards.	workers are at risk			
		and require			
		respirators.			
		 Selection of 			
		appropriate			
		respirators.			
		Health assessment			
		of respirator users.			
		 Proper fit testing. 			
		Use of respirators			
		including care,			
		storage, cleaning			
		and disposal as			
		appropriate.			
		Training workers in			
		their proper use.			
		Appropriate record			
		keeping and			
		program evaluation	-1		-10.1.1
9.2	A protocol for	Respirator selection should	Choose	OHS Act,	Click here to
	respirator	be based on current	an item.	sec. 25(2)	enter text.
	selection for	information from the		(h)	
	use with	infection control or		HCRF Reg.,	
	respect to	occupational hygiene field.		sec. 8 and	
	infectious	The aumount accepted		9	
	diseases is in	The current accepted		• CSA Z94.4-	
	place.	minimum standard for		11	
		airborne respiratory infections is a NIOSH-			
		certified respirator classified as N95 or better.			
		ciassified as N95 of Detter.]



9.3	Staff required to wear tightfitting respirators (including N95 or better) have a health assessment prior to fit testing.	The health assessment for specific respirator use is intended to identify medical restrictions that may preclude workers from using required respirators. The results of the health assessment should indicate only whether the worker: • has no restrictions, • has some specific restrictions, or • is not permitted to use the respirator. Health information obtained during A health assessment is considered confidential.	Choose an item.	 OHS Act, sec. 25 and 26 HCRF Reg., sec. 10 CSA Z94.4-11 	Click here to enter text.
9.4	All staff required to wear tight- fitting respirators have been fit tested. Records are maintained.	Fit testing must be performed following accepted procedures as outlined in the CSA standards. Fit testing should be completed at least every two years or more often if a change in a worker's physical condition requires it.	Choose an item.	 OHS Act, sec. 25 and 26 HCRF Reg., sec. 10 CSA Z94.4-11 	Click here to enter text.
9.5	Staff required to wear respirators have received appropriate training as outlined in CSA Standard Z94.4	Training of workers should include: • Use of respirators including how to wear one correctly and how to perform a user seal check.	Choose an item.	 OHS Act, sec. 25 and 26 HCRF Reg., sec. 10 CSA Z94.4-11 	Click here to enter text.





 Removal of the respirator and other PPE in a manner designed to minimize spread of infection. Limitations of the respirator. Proper care of respirators 	
respirator and other PPE in a manner designed to minimize spread of infection. Limitations of the respirator.	
frequently as needed.	





10.0. VENTILATION REQUIREMENTS

This section includes general and specific ventilation requirements for health care facilities including negative-pressure isolation rooms, as well as requirements for the inspection, maintenance, service and repair of ventilation systems.

Key resources to use when developing policies and procedures are "Recommendations for the Prevention of Healthcare Associated Pneumonia", Public Health Agency of Canada; "Special Requirements for HVAC Systems in Healthcare Facilities", CSA; "Fundamentals of Infection Control during Construction, Renovation and Maintenance of Healthcare Facilities", CSA and "Canadian Tuberculosis Standards", Public Health Agency of Canada. The Ministry of Labour document "Ventilation & Inspection Report for Health care And Residential Facilities" provides a good overview of legislated responsibilities.

Refer to the laboratory section (12.0) for information about local exhaust ventilation requirements specific to laboratories, i.e., fume hoods, biological containment cabinets.

Section	Element	Suggestions for Development, Implementation and Evaluation	Choos e Y/N / Partial, N/A	Standard or Rationale	Comment
10.1	General indoor ventilation adequate for the protection of health and safety of workers is provided by natural or mechanical means.	For mechanical ventilation, the CSA standard can be reviewed to determine specific ventilation requirements for patient/resident rooms, operating rooms, isolation rooms, intensive care, etc. Replacement air must:	Choos e an item.	 HCRF, sec. 19(1) and 20 CSA Z94.4-11 	Click here to enter text.



		 Be free of hazardous agents. Not cause undue drafts or disperse dust. Not interfere 			
		with exhaust			
10.2	The mechanical	systems. An inspection of	Choos	* 11000 000	Click here
10.2	ventilation system is	mechanical ventilation	e an	• * HCRF, Sec.	to enter
	inspected every six	systems is required	item.	19(2) and (3) • VIR HC	text.
	months.	under the Regulations	iteiii.	• VIR HC	iexi.
	monens.	for Health Care and			
		Residential Facilities at			
		least every six months.			
		,			
		The person completing			
		the inspection should			
		be qualified by training			
		and experience. A			
		report of the inspection			
		must be provided to the JHSC.			
10.3	The mechanical	In long-term care	Choos	HCRF, Sec.	Click here
10.0	ventilation system is	facilities, the Long Term	e an	19(5)	to enter
	serviced, repaired	Care Facilities Program	item.	• CSA Z317.2-	text.
	and maintained as	Manual requires that air		10	
	required by the	conditioning and air		10	
	manufacturer, or	exchange systems be			
	more frequently if	serviced at least once			
	required by the	per year.			
	inspection report.				
10.4	Engineering controls	Examples of local	Choos	• Reg. 490 -	Click here
	are used to capture	exhaust-control systems	e an	Designated	to enter
	hazardous agents at	can include fume	item.	Substances	text.
	the source.	hoods, capture hoods		Regulations	
		and biological		(as	
		containment cabinets.		applicable)	
		Local exhaust		• Reg. 833 -	
		ventilation is an		Biological or	

		example of applying controls at the source in accordance with the occupational hygiene hierarchy of controls.		Chemical Hazards CSA Z386-08 - (laser safety) CSA Z316.5- 04 (fume hoods, local exhaust) LTC-DM	
10.5	Special ventilation requirements are implemented during construction projects.	Construction, renovation and maintenance activities are a significant cause of potentially fatal infections for the occupants of any health care facility. Plans for construction and renovation should be developed in consultation with infection control professionals and JHSC.	Choos e an item.	CSA Z317.13-07	Click here to enter text.
10.6	An infection control risk assessment has been conducted to determine the number of isolation rooms required for the facility.	Epidemiological data regarding communicable diseases in the community can be used for performing risk assessment to determine the need for isolation rooms. Disease rates obtained from internal surveillance data as well as externally through local public health authorities should be	Choos e an item.	 CSA Z8000-11 PHAC-CTS (Canadian Tuberculosis Standards, Public Health Agency of Canada) CDC-PTT (Guidelines for Preventing Transmission of mycobacteriu m 	Click here to enter text.



		reviewed in the risk		Tuberculosis	
		assessment.		in Health Care	
				Settings,	
		Construction of new		Center for	
		isolation rooms needs		Disease	
		to comply with the		Control)	
		principles outlined in		• TIHC	
		the CSA standard and		(Tuberculosis	
		supply and exhaust		Information	
		grills are located in		for Health	
		rooms to ensure that all		Care	
		parts of them are		Providers, 4th	
		adequately ventilated.		edition,	
				Ontario Lung	
				Association)	
**	***The following elemer	nts in this section apply or	ly to fac	ilities with negative —nr	essure
	The following elemen	isolation room		neres with hegative pr	<u> </u>
L0.7	Airborne precautions	The Canadian	Choos	* OHSA, sec. 9(19)	Click her
	include the use of	Tuberculosis Standards	e an	PHAC-CTS	to enter
	negative-pressure	call for 12 air changes	item.	CDC-PTT	text.
	rooms with the	per hour for high-risk		TIHC	
	recommended	activities. To prevent			
	number of air	the transmission of			
	exchanges per hour	infection, for outbreak conditions:			
		negative-			
		pressure			
		ventilation with			
		at least 6 air			
		exchanges per			
		hour, 12 for new			
		facilities			
		 HEPA filtration 			
		units that re-			
		circulate air			
		back into the			
		same room or			
		ultraviolet			
		germicidal			
	i i		I	i	I





adjunctive		
measures for		
existing		
facilities. Air		
from the room		
should be		
exhausted		
outdoors ideally		
from the roof of		
the building. The		
exhausted air		
should pass		
through a HEPA		
filter if there is a		
risk of it re-		
entering the		
building or an		
adjacent		
occupied		
building.		
 The monitoring 		
and evaluation		
of isolation		
rooms to		
determine air		
exchange,		
direction of		
flow, pressure		
differential, air		
quality, etc., can		
be conducted by		
qualified		
individuals such		
as occupational		
hygienists,		
consulting		
engineers and		
other specialists.		
A JHSC worker		
member should		
be consulted		

		about toating			
		about testing			
		and have a right			
		to be present at			
		the start of			
		testing.	-1		-14 1
10.8	There should be a	Contaminated HEPA	Choos	PHAC-CTS	Click here
	written protocol for	filters should be	e an		to enter
	HEPA filters that	handled and disposed	item.		text.
	includes:	of as contaminated			
	 Maintenance 	waste.			
	and				
	monitoring by				
	qualified				
	technician.				
	 Frequency of 				
	maintenance				
	and service in				
	accordance				
	with				
	manufacturer				
	'S				
	instructions.				
	Documentatio				
	n of service				
	activities.				
10.9	Maintenance	Refer to Section 9.0 of	Choos	PHAC-CTS	Click here
10.9		this document for more		PHAC-CIS	
	personnel wear		e an		to enter
	personal respiratory	information on	item.		text.
	protection if	respiratory protection.			
	removing filters that				
	have not been				
	decontaminated.				
10.10	Windows and doors	Use appropriate and	Choos	CDC-PTT	Click here
	to isolation rooms for	recognized signage	e an		to enter
	airborne infections	posted at the room	item.		text.
	are kept closed at all	entrance.			
	times. The door				
	remains closed after				
	discharge of				
	patients/residents				
	until sufficient time				



	has elapsed to allow removal of airborne organisms.				
10.11	Engineering controls receive constant monitoring and maintenance. Monitors are located downstream of HEPA filters.	Engineering controls should be included in the preventive maintenance program.	Choos e an item.	CDC-PTT	Click here to enter text.
10.12	Where possible, two power sources, regular and emergency, are connected to the engineering control system of airborne isolation rooms or areas.	Guidelines are in place to ensure 24-hour monitoring with appropriate alarms to activate a response. Appropriate workers are trained in response procedures.	Choos e an item.	CDC-PTT	Click here to enter text.
10.13	The directional airflow for negative-pressure isolation rooms is verified at least every six months when the isolation area is not in use and weekly when in use.	Airflow within isolation rooms is from areas of least contamination (the doorway) to areas of greatest contamination (the patient/ resident). A smoke test can be conducted as a simple indicator to determine that the airflow direction is inward. Airflow is not interrupted by the placement of furniture or occupants. Report any deviations in airflow to Engineering/Maintenan ce for correction.	Choos e an item.	CDC-PTT	Click here to enter text.



	SERVICES SERVICES					ing and
Section	Element		Suggestions for Development, Implementation and Evaluation	Status Choose Y/N / Partial, N/A	Standard or Rationale	Comments
11.1	The organizate has written measures and procedures for the handling, transportation cleaning, store and disposal disposa	or n, rage	The written protocol may include: • Handling soiled linen with a minimum of agitation and shaking to avoid contamination of air, surfaces and persons. • Bagging of soiled linen at the point of containment. • Use of impervious bags/containers for transportation to avoid any spills or drips of blood, body fluids, secretions or excretions. • Training to avoid accidental exposure to hidden sharps. Instruction in the rolling and	Choose an item.	 HCRF Reg., sec. 9(1) and (13) BP- ECPCI * NHA 	Click here to enter text.

		folding of heavily soiled linen. Removal and disposal of large amounts of blood and excrement using proper procedures (spraying should be avoided). Transportation of clean and dirty linen in separate carts. Cleaning and disinfecting dirty linen carts. Washing or disposal of linen bags (linen bags can be washed in the same cycle as the linen, or disposed of after			
		the linen, or disposed of after each use). The protocol should also address additional precautions for the handling and treatment of linen from persons diseases spread by indirect			
11.2	All caregivers and laundry workers are trained in procedures for handling of soiled linen.	contact. Training of workers should be appropriate to the task/position they perform and the risk of infectious diseases. Training must be documented.	Choose an item.	HCRF Reg., sec. 9(4)BP-ECPCI	Click here to enter text.



11.2	Laundminicia.	Thoro arei++ a	Chaas	- 11005	Click ban- +-
11.3	Laundry workers are made aware	There are written	Choose	• HCRF	Click here to
		procedures for workers	an item.	Reg., sec.	enter text.
	of the risk of	exposed to sharps in		9	
	exposure to	laundry. Refer to Section 9		BP-ECPCI	
	sharps in linen	of this document on blood			
	and laundry	and body fluid exposure			
	bags.	for additional information			
		related to sharps.			
11.4	Workers wear	There is a written program	Choose	 OHSA, 	Click here to
	appropriate	for Personal protective	an item.	sec. 26,	enter text.
	protective	equipment (PPE) that		27 and 28	
	equipment such	includes:		* HCRF	
	as gloves, gowns	 Employer duty to 		Reg., sec.	
	or aprons when	provide		10	
	handling soiled	appropriate		BP-ECPCI	
	linens and during	personal protective		BP-RPAP	
	disinfecting	equipment.		J,	
	procedures.	Supervisor			
	'	accountability to			
		ensure compliance			
		with the PPE			
		program. ● Worker			
		responsibility to			
		wear the			
		appropriate PPE.			
		Th:			
		This program should			
		include guidelines for the			
		selection, use and			
		maintenance of			
		appropriate PPE. For			
		example, reusable gloves			
		should be washed and			
		dried after use. If			
		punctured or torn they			
		should be discarded			
11.5	The room used	Clean and soiled linen	Choose	* HCRF Reg., sec.	Click here to
	for storing	should be stored	an item.	111(1)	enter text.
	laundry is	separately.			
	maintained in				
	.1	ı	l	1	







	accordance with good hygiene practices				
11.6	Eyewash stations are provided in the laundry department if there is a risk of exposure of eyes to chemical or infectious material.	The eyewash station should be installed and operated in accordance with ANSI standards. The eyewash station should be:	Choose an item.	 OHS Act, sec. 25(2) (h) IER, sec. 124 HCRF Reg., sec. 9 ANSI - Z358.1 	Click here to enter text.
11.7	The receiving	devices. A protocol is in place to	Choose	BP-ECPCI	Click here to
	area for contaminated textiles is maintained at negative pressure compared to the	ensure regular monitoring of the air pressure by qualified individuals such as occupational hygienists, consulting engineers and other specialists. A JHSC worker member should be consulted about and have	an item.		enter text.



	clean areas of the laundry.	a right to be present at the start of testing.			
11.8	Hand Hygiene facilities are readily available.	Hygiene facilities should be equipped with: • hot and cold running water • liquid soap • single-use disposable paper towels • alcohol hand sanitizer Hand-washing facilities should be made available in accordance with the Building Code.	Choose an item.	 HCRF Reg., sec. 28 BP-HH 	Click here to enter text.
11.9	Laundry chutes are properly maintained and used in a manner to minimize dispersion of aerosols (airborne particles) from contaminated laundry.	There is a protocol in place to: • Ensure the laundry discharges into the soiled linen collection area. • Laundry chutes are regularly cleaned with an appropriate germicide. • Maintain negative pressure in the chute. • Ensure loose items are not transported in the chute.	Choose an item.	BP-ECPCI	Click here to enter text.



12.0. LABORATORY SERVICES A sl lt "I		All otl shoul It is re "Labo	her sections of this documed be included in the assess ecommended that a currer tratory Biosafety Guideline sment. This resource is cur	section does not apply unless the facility has a laboratory. sections of this document also apply to laboratory workers and a included in the assessment of laboratory services. Inmended that a current copy of the Public Health Agency of Canada bry Biosafety Guidelines" be available for review as part of this int. This resource is currently being revised and should be available in			
Section	Element		Suggestions for	Status	Standard or	Comments	
			Development, Implementation and	Choose Y/N /	Rationale		
			Evaluation	Partial,			
				N/A			
12.1	The laborator		The laboratory should	Choose	OHSA, sec.	Click here	
	infection-con	trol	establish policies and	an item.	25(2) (h)	to enter	
	policies and		procedures according		HCRF Reg.,	text.	
	procedures		to current guidelines		sec. 8 and 9		
	specific to its environment		based on risk		PHAC-LBSG		
	address the h		assessment.		(Laboratory		
	and safety of		Policies and procedures		Biosafety Guidelines		
	workers.		should include, but not		3rd Edition,		
			be limited to:		Public		
			 Routine 		Health		
			practices and		Agency of		
			additional		Canada)		
			precautions.				

12.2	Laboratory glassware is inspected for chips and cracks before use.	 Immunization of laboratory workers. Use and storage of personal protective equipment, including lab coats. Training and education. Waste and spills. Blood and body fluid exposures. Chipped or cracked glassware is not used unless it is restored to a condition that presents no hazard to a worker. If not restored it is disposed of appropriately. 	Choose an item.	HCRF Reg., sec. 56(1) and (2)	Click here to enter text.
12.3	Bottles and test	A written procedure is	Choose	* HCRF Reg., sec.	Click here
	tubes are transported in racks or containers to prevent them from breaking, leaking or spilling their contents and to protect workers from exposure.	in place for the enforcement of safe transport of specimens in, to and from the laboratory.	an item.	107	to enter text.
12.4	Centrifuges are maintained and operated in accordance with the recommendations and instructions of the manufacturer.	There is a written record of their maintenance. Centrifuges are equipped with a locking device to prevent them being operated at a speed in excess of that	Choose an item.	 HCRF Reg., sec. 59(1), (2), (3) and (6) *IER sec. 31 	Click here to enter text.





		for which they were			
		designed and intended.			
		The load in a			
		centrifuge is balanced			
		to minimize vibration			
		during its operation.			
		Cushions are used in			
		centrifuging materials			
		in glass containers.			
12.5	If an infectious	A sign displaying a	Choose	* HCRF Reg., sec.	Click here
	material is being	biohazard symbol	an item.	59(4)	to enter
	centrifuged, a	should be used.			text.
	legible sign				
	warning of the				
	hazard is posted in				
	the area where the				
	centrifuge is being				
	operated.				
12.6	A bench model	Laboratories determine	Choose	* HCRF Reg., sec.	Click here
	centrifuge being	which bench model	an item.	59(5)	to enter
	used to centrifuge	centrifuges being used			text.
	an infectious	for infectious agents			
	material is	require operation in a			
	operated in a	biological safety			
	biological safety	cabinet.			
	cabinet or is				
	otherwise	Include verification of			
	appropriately	the integrity of the seal			
	contained, unless	in pre-start-up			
	sealed safety	inspections.			
	heads or sealed				
	centrifugal caps				
	are used.			4	-1. 1. 1
12.7	Incubators,	Alarms and monitors	Choose	* HCRF Reg., sec.	Click here
	refrigerators and	can be installed to	an item.	105	to enter
	deep-freeze units	detect problems			text.
	used to store	related to power supply			
	cultures,	or temperature.			
	specimens or				
	biological	Alarms should be			
	ampoules are	monitored and staff			







	identified as biohazards.	trained in appropriate response measures.			
12.8	Refrigerators used to store cultures, specimens or biological ampoules are not used to store food and drink.	The temperature is maintained at 2 - 8 degrees Celsius in refrigerators storing vaccines.	Choose an item.	* HCRF Reg., sec. 31	Click here to enter text.
12.9	No food, drink, tobacco or cosmetics are consumed, applied or kept in areas where infectious materials, hazardous chemicals or hazardous drugs are used, handled or stored.	Signage should be posted regarding restrictions.	Choose an item.	* HCRF Reg., sec. 32	Click here to enter text.
12.10	Workbenches, shelves, fume hoods and safety cabinets have adequate space to allow workers to perform their tasks safely.	Space requirements should be considered during design of lab and purchase of equipment. Consult the Health Canada Laboratory Biosafety Guidelines for specifications on design. Laboratory workers and/or external experts may be consulted as appropriate.	Choose an item.	 HCRF Reg., sec. 108 PHAC-LBSG 	Click here to enter text.
12.11	To ensure the safety of workers, biological safety cabinets are installed and	A written record of the testing should be available.	Choose an item.	PHAC-LBSG	Click here to enter text.

	tested in accordance with CSA Standard Z316.3-95 or NSF Standard 49.	A qualified person should conduct the testing.			
12.12	In a laboratory where blood/body fluid spills are likely to occur, the floors and other surfaces are made from smooth, impervious material.	Workbench, fume hood and safety cabinet surfaces and floors consist of a smooth non-porous or impervious material. Appropriate disinfectants and decontaminants are provided and used to clean workbench, fume hood and safety cabinet surfaces and floors.	Choose an item.	* HCRF Reg., sec. 109 (1) and (2)	Click here to enter text.
12.13	If the laboratory has an autoclave or sterilization machine, written procedures for correct usage are in place.	The written procedures should address: Ventilation of the equipment if a hazardous chemical is used (e.g., ethylene oxide). Safe operation of the equipment. Posting of emergency instructions. Maintenance requirements. The autoclaves and sterilization machines should be maintained on	Choose an item.	* HCRF Reg., sec. 60	Click here to enter text.



12.14	Adequate hygiene facilities are available for laboratory workers.	Consult the Health Canada Laboratory Biosafety Guidelines for design specifics.	Choose an item.	IER, sec. 125ANSI	Click here to enter text.
12.15	A quick-acting deluge shower is provided for a worker exposed to potential skin injury due to contact with an infectious substance.	Workers have been trained to use the emergency eyewash station and/or safety shower. Emergency showers must be properly maintained.	Choose an item.	IER, sec. 125ANSI	Click here to enter text.
12.16	Where there is a risk of potential exposure to an infectious agent, an eyewash station is provided.	The eyewash station should be installed and operated in accordance with ANSI standards. The eyewash station should be:	Choose an item.	 HCRF Reg., sec. 9 OHS Act, sec. 25(2) (h) IER, sec. 124 ANSI 	Click here to enter text.





		at all times and workers should be trained in the use of eyewash and shower devices			
12.17	A training program has been established to meet the requirements of the Transportation of Dangerous Goods Act.	shower devices. Workers, who provide transport, pack for transport or transport specimens are trained in the relevant sections of the TDG Act. Employers have a process to ensure that training in transportation of dangerous goods is provided. Re-training should be conducted every three years (two years if dangerous	Choose an item.	*TDG Act	Click here to enter text.
		goods are transported by air), or more frequently if required. A written record of the training attendance should be kept. A worker must keep a certificate of training available for review on request.			
12.18	All applicable recommendations and regulations with respect to animal research and/or animal pathogens that could adversely affect the health and safety of	Policies and procedures should be established based on a risk of transmission of infection to humans. Policies and procedures must be communicated to workers.	Choose an item.	PHAC-LBSG	Click here to enter text.



workers are followed.		



APPENDIX

APPENDIX A: GLOSSARY OF SHORT FORMS AND NOTATIONS USED FOR CONSENSUS DOCUMENTS CITED

- APIC Association for Professionals in Infection Control & Epidemiology
- ANSI American National Standards Institute
- BP-CDS Best Practices for Cleaning, Disinfection & Sterilization of Medical Equipment in All Health Care Settings
- BP -ECPCI Best Practices for Environmental Cleaning for the Prevention & Control of Infections
- BP-ECBPPET Environmental Cleaning Best Practices Educational Toolkit
- BP-HH -Best Practices for Hand Hygiene in All Health Care Settings, PIDAC
- BP-IPCP Best Practices for Infection Prevention & Control Programs in Ontario
- BP-RPAP Best Practices, Routine Practices & Additional Precautions
- BP-SHCAI Best Practices for Surveillance of Health Care Acquired Infections
- CDC-PTT Guidelines for Preventing Transmission of mycobacterium Tuberculosis in Health Care Settings, Center for Disease Control
- CEBCA Reg- Control of Exposure to Biological or Chemical Agents Regulation
- CSA Z317.10 (handling medical waste in health care facilities)
- CSA Z316-07 (sharps containers)
- CSA Z94.4-11- (selection, care & use of respirators))
- CSA Z386-08 (laser safety)
- CSA Z316.5-04 (fume hoods, local exhaust)
- CSA Z8000-11(planning for clinical support)
- HCRF Reg Health Care & Residential Facilities Regulation
- *HPP Act- Health Promotion & Protection Act
- IER Reg Industrial Establishments Regulation
- JCYH Just Clean Your Hands Campaign
- *LTC Act Long Term Care Act
- LTC-DM Long Term Care Design Manual
- LTC-PM Long Term Care Homes Program Manual
- MBWO Management of Biomedical Waste in Ontario
- NACI National Advisory Committee for Immunization
- NS Reg. -Needle Safety Regulation ANSI American National Standards Institute
- OHA/OMA CDSP- Ontario Hospital Association and Ontario Medical Association Communicable Disease Surveillance Protocols
- OHPIP Ontario Health Plan for an Influenza Pandemic





- PHAC-PCOI Prevention & Control of Occupational Infections in HealthCare, Public Health Agency of Canada
- PHAC CPIP Canadian Pandemic Influenza Plan, Public Health Agency of Canada
- PHAC-CTS Canadian Tuberculosis Standards, Public Health Agency of Canada
- PHAC -GHAP- Guidelines for The Prevention of Health Care Acquired Pneumonia, Public Health
- Agency of Canada
- PHAC-LBSG Laboratory Biosafety Guidelines 3rd Edition, Public Health Agency of Canada
- Reg. 965 Hospital Management under Public Hospitals Act
- SC-CR SARS Commission, Campbell Report
- *TDG Transportation of Dangerous Goods Act
- TIHC Tuberculosis Information for Health Care Providers, 4th edition, Ontario Lung Association
- WHMIS Reg. Workplace Hazardous Materials Information System Regulation
- *WSIA Workplace Safety & Insurance Act
- VIRHC Ventilation, Inspection Report for Health Care Facilities, Ontario Ministry of Labour



APPENDIX B: WEB LINKS FOR RESOURCES CITED

- 1. American National Standards Institute (ANSI)- www.global.his.com/standards
- 2. Best Practice documents (PIDAC) www.oahpp.ca/resources/pidac-knowledge/
- 3. Centre for Disease Control (CDC) Guidelines for Preventing the Transmission of mycobacterium Tuberculosis in Health Care www.cdc.gov/tbpublications
- 4. Canadian Standards Association (CSA) standards www.shop.csa.ca
- 5. Just Clean Your Hands Campaign www.oahpp.ca/services/jcyh
- 6. Long Term Care Design Manual www.health.gov.on.ca
- 7. Long Term Care Program Manual www.health.on.ca
- 8. Ontario Statutes and Regulations (legislated requirements indicated by *) www.e-laws.gov.on.ca
- 9. National Advisory Committee for Immunization (NACI) www.phac-phac.gc.ca
- 10. Ontario Health Plan for an Influenza Pandemic chapter 7 www.health.gov.on.ca
- 11. Ontario Hospital Association and Ontario Medical Association Communicable Disease Surveillance Protocols www.oha.com
- 12. Ontario Lung Association, Tuberculosis Information for Health Care Providers, 4th edition www.on.lung.ca
- 13. Public Health Agency of Canada www.phac-phac.gc.ca
- 14. Spring of Fear, SARS Commission www.osach.ca
- 15. Ventilation, Inspection Report for Health Care, Ontario Ministry of Labour www.labour.gov.on.ca



APPENDIX C: ADDITIONAL RESOURCES AND WEB RESOURCES

- 1. Association for Professionals in Infection Control and Epidemiology Inc. (APIC), 1275 King St. NW, Ste. 1000, Washington, DC, 20005-40006, www.apic.org
- 2. Canadian Standards Association, 5060 Spectrum Way, Mississauga, ON, L4W 5N6, www.csa.ca
- 3. Centers for Disease Control and Prevention, 1600 Clifton Rd., Atlanta, GA, 30333, USA, www.cdc.gov
- 4. Community and Hospital Infection Control Association (CHICA), Box 46125, RPO Westdale, Winnipeg, MB, R3R 3S3, www.chica.org
- 5. Public Health Agency of Canada, 130 Colonnade Road, A.L. 6501H, Ottawa, ON, K1A0K9 www.publichealth.gc.ca
- 6. Public Health Ontario, 480 University Ave. suite 300, Toronto, ON, M5G1V2, oahpp.ca
- 6. Public Services Health and Safety Association, 4950 Yonge St., Toronto, ON, M2N 6K1, www.pshsa.ca
- 7. Ontario Ministry of Labour, Occupational Health & Safety Branch, 505 University Ave., Toronto , ON, M7A 1T7, www.Labour.gov.on.ca
- 8. Ontario Ministry of Health and Long Term Care, Suite M1-57, MacDonald Block, 900 Bay St., Toronto, ON, M7A 1N3, e-mail:www.gov.on.ca/health
- 9. World Health Organization, Geneva, Switzerland, e-mail: www.who.int/en



APPENDIX D: COMMUNICABLE DISEASES SIGNIFICANT TO OCCUPATIONAL HEALTH

- Antibiotic resistant organisms (AROs)
- Avian influenza
- Blood-borne diseases (Hepatitis B virus [HBV], Hepatitis C virus [HCV]
- Cytomegalovirus (CMV)
- Diphtheria
- Enteric diseases (as specified in OHA, OMA surveillance protocols)
- Epstein-Barr virus (EBV)
- Febrile respiratory illness
- Gastroenteric infections
- Hepatitis A virus (HAV) and Hepatitis E virus (HEV)
- Herpes simplex virus (HSV)
- Influenza
- Measles (rubeola)
- Meningococcus (Neisseria meningitidis)
- MRSA (Methicillin sensitive S. aureus and Methicillin resistant S. aureus)
- Mumps
- Parovirus B19
- Pediculosis (lice)
- Pertussis (whooping cough)
- Respiratory infections
- Rubella (German measles)
- Salmonella typhi
- Severe acute respiratory illness (SARS)
- Scabies
- Staphylococcus aureus (S. aureus)
- Streptococcus Group A (GAS)
- Tinea (ringworm)
- Toxoplasmosis
- Tuberculosis (TB)
- Vancomycin resistant S. aureus
- Vancomycin resistant enterococcus (VRE)
- Varicella-Zoster virus (VZV)





Protecting Health Care Workers from Infectious Diseases

A Self Assessment Tool

Public Services Health and Safety Association (PSHSA)

4950 Yonge Street, Suite 1800 Toronto, Ontario M2N 6K1

Canada

Telephone: 416-250-2131 Fax: 416-250-7484 Toll Free: 1-877-250-7444

Web site: www.pshsa.ca

Connect with us:

** @PSHSAca

Product Code: IIFTLAEN0912